



SKIOLD DISC MILL SK10000



SKIOLD MAKES THE DIFFERENCE!

SKIOLD DISC MILL SK10000

Optimal feed structure for all animal groups


Exceptional durability on wearing parts

Low power consumption

Capacity up to 12 t/h

Quiet running

SKIOLD DISC MILL SK10000



MEASURE SKETCH

	55 kW	75 kW
A	899 mm	929 mm
B	250 mm	280 mm
C	500 mm	530 mm
D	1005 mm	1035 mm

TECHNICAL SPECIFICATIONS

	SK10000
Main motor	55 - 75 kW 2800 o/m
Disc diameter (external)	550 mm
Distance regulation	Automatic
Noise level	Approx. 80 dB
Shipping weight	1350 - 1500 kg
Feeding auger	0,75 kW 2800 rpm

CAPACITY

Cereal	55 kW	75 kW
Barley	3000-10000	4000-13000
Wheat	3000-12000	4000-15000
Maize	3000-12000	4000-15000
Oats	2500-9000	3000-12000
Peas	2500-9000	3000-12000

In storage dry and well cleaned crops, max. kg/h.
The capacity depends on the grinding fineness

SKIOLD SK10 DISC MILLS may be used for grinding of ordinary cleaned small-grained seed crops in storage dry condition and with a maximum diameter of 10 mm. Wheat, barley etc. can furthermore be ground from air tight silo with up to 25% moisture content. However, please note that the capacity is reduced by approx. 5% for each percentage of moisture content higher than 15% - for example 18% moisture content reduces the capacity by $(18-15) \times 5 = 15\%$.

The disc mill is also suitable for granulation of clean pelleted feed products, and wood pellets, with a pellet diameter of up to \varnothing 16 mm.