




DAMAS KIBAN




SKIOLD MAKES THE DIFFERENCE!



DAMAS KIBAN CLIPPER/DE-AWNER

The Kiban is a steel construction fitted with a rotating shaft with steel pegs. This shaft is suspended in sturdy ball bearings.

Clipper/de-awner




The Kiban is a steel construction fitted with a rotating shaft with steel pegs. This shaft is suspended in sturdy ball bearings.

The top cover of the Kiban is equipped with clipper-de-awner cloth on the underside. Furthermore, the through is reinforced with exchangeable wear plates of steel.

The throughgoing long flap at the bottom can be removed completely to ease cleaning of the clipper-de-awner.

Function



The material to be de-awned is led down to the inlet (1) and passes through the clipper-de-awner in the longitudinal direction. At the same time it is treated by the clipper/de-awner pegs (2) and the clipper/de-awner cloth under the cover (not shown). The material moves in a spiral shaped motion to the outlet (4), whose size (and thus te clipper efficiency) is regulated by the flap (3) that runs along the whole bottom of the machine.

Guiding capacity by motor size		86	125
4.0 kW	t/h	5	-
11.0 kW	t/h	-	10
15.0 kW	t/h	-	13
18.5 kW	t/h	-	16
22.0 kW	t/h	-	20

Dimensions		86	125
Weight excl. driving mechanism	kg	250	320
Weight incl. driving mechanism	kg	310	395